




CMT ORANGE TOOLS®


CATALOGUE 2024 ENGLISH EDITION



QUALITY MATERIALS FOR OUTSTANDING PERFORMANCE

Designed and crafted using state-of-the-art processes as well as high-tech machinery these jig saw blades carry out precise cuts on a variety of materials: soft & hardwood, plywood, OSB, laminates, plastics, HPL, multiplex panels, metals, ferrous & non-ferrous materials, aluminium, Fibreglass as well as stainless steel. CMT jig saw blades come in four different materials made to outperform the competition and deliver impressive results.

GEOMETRY IS IMPORTANT!



MILLED & SIDE SET TEETH

Jig saw blades featuring this kind of geometry produce a quick rough cut into soft/hardwood, aluminium, plastic and non-ferrous metals.



MILLED & WAVY SET TEETH

Suitable for fine straight cuts into plywood, soft steel, aluminium, non-ferrous metals and plastic.



GROUND & SIDE SET TEETH

Best for quick cuts in wood.



GROUND & TAPER GROUND TEETH

This geometric attribute creates fine, clean and precise cuts in wood and plastic.



HIGH CARBON STEEL

Great for cutting wood, fiberboard and plastic.



BI-METAL WITH 8% COBALT

Premium bi-metal with 8% Cobalt provides superb results and guarantees long life when cutting metal, non-ferrous, plastic and wood with nails.



HIGH SPEED STEEL

For cutting harder materials, such as metals, aluminium and non-ferrous metals.



TUNGSTEN CARBIDE TIPPED

For cutting fibercement board, brick, porous concrete, plasterboard, MDF, Fibreglass and ETERNIT®.

THE RIGHT BLADE FOR THE BEST RESULTS!


A quick reference chart and pictograms will help you select the right blade for your application.

/// Wood






/// Wood & Metal

/// Metal

/// Special



Guide to Choosing the Most Suitable Jig Saw Blade

SERIES	MATERIAL	THICKNESS  mm	LINE	FINE STRAIGHT	COARSE STRAIGHT	FINE CURVE	COARSE CURVE	PAGE	
									
WOOD	Softwood	1,5~15	Fine			JT101AO		86	
		2~15	Basic			JT119BO		85	
		3~65	Fine, Splinter-Free	JT234X					87
		3~30	Fine	JT101B					86
		3~30	Fine, Splinter-Free	JT101BR					86
		4~60	Basic			JT111C			85
		5~60	Fast			JT144D		JT244D - JT244DDC	85
		5~100	Fast			JT344D			86
		7~55	Fine	JT101D					87
	7~65	Fine	JT301CD - JT318VF					87	
	Hardwood	1,5~15	Fine				JT101AO		86
		3~30	Fine	JT101B					86
		3~30	Fine, Splinter-Free	JT101BR					86
		3~65	Fine, Splinter-Free	JT234X					87
		5~60	Fast			JT144D		JT244D - JT244DDC	85
		5~100	Fast			JT344D			86
		7~55	Fine	JT101D					87
		7~65	Fine	JT301CD - JT318VF					87
		OSB	2~15	Basic				JT119BO	
	3~30		Fine	JT101B					86
	4~60		Basic			JT111C			85
	5~60		Fast			JT144D		JT244D - JT244DDC	85
	7~55		Fine	JT101D - JT318VF					87
	Plywood	1,5~15	Fine				JT101AO		86
		2~15	Basic				JT119BO		85
		3~30	Fine	JT101B					86
		3~30	Fine, Splinter-Free	JT101BR					86
		3~65	Fine, Splinter-Free	JT234X - JT318VF					87
		4~60	Basic			JT111C			85
		5~60	Fast			JT144D		JT244D - JT244DDC	85
		5~100	Fast			JT344D			86
		7~55	Fine	JT101D - JT318VF					87
	Construction Wood	<30	Fine	JT101B					86
		3~65	Fine, Splinter-Free	JT234X					87
		<100	Fast			JT344D			86
		<135	Fast			JT144D			85
	Chipboard	2~15	Basic				JT119BO		85
		3~30	Fine	JT101B			JT101AO		86
		3~65	Fine, Splinter-Free	JT234X - JT318VF					87
		4~60	Basic			JT111C			85
		5~60	Fast			JT144D		JT244D - JT244DDC	85
	Laminated panels Kitchen Tops Worktops	1,5~15	Fine				JT101AO		86
		1,5~15	Fine, Long Life	JT101BIF					87
		3~30	Fine	JT101B					86
		3~30	Fine, Splinter-Free	JT101BR					86
3~65		Fine, Splinter-Free	JT234X					87	
METAL	Sheet metals	1~3	Basic	JT118A		JT218A		88	
		1,5~10	Fast, Long Life	JT123X - JT318VF				87-88	
		2,5~6	Basic	JT118B				88	
	Aluminium, non-ferrous	<30	Fast	JT127D					88
		1,5~10	Fast	JT123X - JT318VF				87-88	
	Pipes	<30	Fast	JT123X - JT318VF				87-88	
	Inox Sheets	1,5~3	Fast	JT123X - JT318VF				87-88	
	Sandwich Material	<120	Fast, Flexible	JT718BF				88	
	GRP (Fibreglass)	<30	Fast	JT127D				88	
	Plastic (PP, PE, PVC, PA, PS)	<30	Fine	JT101D					87
<30		Fast	JT123X					88	
7~65		Fine	JT301CD - JT318VF					87	
SPECIAL	Plasterboard	5~50	Special			JT141HM		89	
		5~80	Special			JT341HM		89	
	GRP (Fibreglass)	<80	Special			JT341HM		89	
	Fibre cement boards	5~50	Special			JT141HM		89	
		5~80	Special			JT341HM		89	
	Carton, Leather, Rubber	<100	Special	JT313AW				89	
Soft Tile, Cast Iron	5~10	Special	JT150RF				89		


Jig Saw Blades

JT119B0



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	76	50	2	12	100	JT119B0-5

Curve cuts on softwood (2~15mm), plywood, OSB.





JT111C



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	100	75	3	8	100	JT111C-5

Fast coarse cuts on softwood (4~60mm), plywood, OSB.




JT144D



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	100	75	4	6	100	JT144D-5
25	100	75	4	6	10	JT144D-25
100	100	75	4	6	4	JT144D-100

Very fast cuts, straight and coarse, on hard/softwood (5~60mm), plywood, OSB. Plunge cutting.



JT244D



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	100	75	4	6	100	JT244D-5

Fast, curve, coarse cut on soft and hardwood (5~60mm), plywood, OSB. Plunge cutting.




JT244DDC



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	100	75	4	6	100	JT244DDC-5

Fast, curve, coarse cut on soft and hardwood (5~60mm), plywood, OSB. Plunge cutting. Special "DUO" (double) cuts for fast curve cutting.




Jig Saw Blades

JT344D



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	132	110	4	6	100	JT344D-5




Very fast cuts, straight and coarse on thick construction timber, hard/softwood (5~100mm), plywood, OSB.

JT744D




PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
3	180	155	4	6	20	JT744D-3




Very fast cuts, straight and coarse on thick construction timber, hard/softwood (5~135mm) and sandwich material.

JT101AO




PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	76	50	1,4	20	100	JT101AO-5




Curved cuts, fine finishing on both sides of surface on hard/softwood, plywood, chipboard, MDF, double sided laminates (1,5~15mm).

JT101B



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	100	75	2,5	10	100	JT101B-5
25	100	75	2,5	10	10	JT101B-25




Fine straight cuts with fine finishing on hard/softwood, plywood, OSB and plastics (3~30mm). Plunge cutting.

JT101BR




PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	100	75	2,5	10	100	JT101BR-5
25	100	75	2,5	10	10	JT101BR-25




Straight cuts, fine finishing on upper side, hard/softwood, plywood, OSB, laminated panels, plastics (3~30mm). Reverse tooth.

Jig Saw Blades

JT101D





PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	100	75	4	6	100	JT101D-5




Straight cuts, fine finishing on upper side, on hard/softwood, plywood, OSB, laminates and plastics (7~55mm). Plunge cutting.

JT301CD




PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	116	90	3	8	100	JT301CD-5



Straight cuts, good finishing, on hard/softwood, plywood, laminates and plastics (7~65mm).

JT234X



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	116	90	2-3	8-12	100	JT234X-5




Extra-clean straight cuts, splinter-free finish, on hard/softwood, plywood, OSB, laminates (3~65mm).

JT101BIF



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	83	58	1,7	15	100	JT101BIF-5




Splinter-free cuts. Special for all laminates, HPL and multiplex panels (1,5~15mm).

JT318VF



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	132	100	1,7-2,6	10-15	100	JT318VF-5



Straight cuts on wood with nails/metal, chipboard and laminate (<60mm), sheet metal, aluminium profiles (3~18mm), glass fiber reinforced plastic/epoxy (<60mm).

Jig Saw Blades

JT118A



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	76	50	1,2	21	100	JT118A-5

Straight cuts on thin sheet metals, ferrous and non-ferrous (1~3mm).



JT218A



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	76	50	1,2	21	100	JT218A-5

Curve cuts on thin sheet metals, ferrous and non-ferrous (1~3mm).



JT118B



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	76	50	2	12	100	JT118B-5

Straight cuts on medium-thick metals, ferrous and non-ferrous (2,5~6mm).




JT123X



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	100	75	1,2-2,6	10-21	100	JT123X-5

Straight cuts on thin to thick sheet metals (1,5~10mm), pipes, profiles in plastic and aluminium (<30mm), stainless steel (1,5~3mm).




JT127D



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
5	100	75	3	8	100	JT127D-5

Special for aluminium, thin to thick (3~15mm), pipes and profiles, (<30mm) including plastic, fibreglass and epoxy.




JT718BF



PACK Quantity	L mm	I mm	TS mm	TPI		ORDER NO. T Shank
3	185	160	1,8	14	20	JT718BF-3

Special for Sandwich Materials & Solid Surfaces (<120mm).



Jig Saw Blades




JT141HM



PACK Quantity	L mm	I mm	TS mm	TPI	50	ORDER NO. T Shank
3	100	75	4,3	6	50	JT141HM-3

Plasterboard, fibre cement boards (<50mm). Fibreglass/Epoxy (5~20mm), ETERNIT®, MDF, HDF.



JT341HM



PACK Quantity	L mm	I mm	TS mm	TPI	50	ORDER NO. T Shank
3	132	110	4,3	6	50	JT341HM-3

Plasterboard, fibre cement boards (<80mm). Fibreglass/Epoxy (5~50mm), ETERNIT®, MDF, HDF.



JT150RF



PACK Quantity	L mm	I mm	50	ORDER NO. T Shank
3	83	75	50	JT150RF-3

Soft ceramic tiles, cast iron (5-10mm), reinforced fibreglass.




JT313AW




PACK Quantity	L mm	I mm	100	ORDER NO. T Shank
3	152	100	100	JT313AW-3

Cardboard, polystyrene, carpet, leather, rubber, fibreglass thermal insulation panels (<100mm).



JT016 16 Piece Jig Saw Blade Set

2 PCS	JT144D	HCS	WOOD	FAST CUT	1 PC	JT141HM	HW	SPECIAL	LONG LIFE
2 PCS	JT101B	HCS	WOOD	FINE CUT	1 PC	JT123X	HSS	METAL	FAST CUT
2 PCS	JT101BR	HCS	WOOD	FINE SURFACE CUT	2 PCS	JT118A	HSS	METAL	BASIC CUT
1 PC	JT101BIF	BIM	WOOD	FINE CUT	2 PCS	JT118B	HSS	METAL	BASIC CUT
1 PC	JT101A0	HCS	WOOD	FINE CUT	2 PCS	JT218A	HSS	METAL	BASIC CUT



15 Sets in End-cap display (minimum 15 pieces or multiple)




An assortment of 16 Jig Saw Blades featuring the 10 most popular blades for a variety of cutting needs:

- wood and timber (straight, curve cuts, course cutting and finishing);
- plasterboard, fibre cement, fibreglass, epoxy resins, and panels such as ETERNIT®;
- metal and sheet metal both thick and thin;
- stainless steel;
- aluminium and plastics.


© Brand names mentioned in CMT products are the property of their respective owners (see back cover)




GEOMETRY IS IMPORTANT!



Easily cut construction wood, plywood, framing lumber and plastic.



For quick cutting on hard/softwood, aluminium, plastic, ferrous and non-ferrous metal.



For fine, precise cuts in thin/thick metal, pipe, open and closed profiles.

HCS **HIGH CARBON STEEL**
For cuts on soft wood or plastic.

BIM **BI-METAL WITH 8% COBALT**
Provides superb results and guarantees long life when cutting metals, plastic and wood with nails.

HW **TUNGSTEN CARBIDE TIPPED**
Ideal for construction materials: fibre cement board, brick and porous concrete.



QUALITY MATERIALS FOR MAXIMUM PRODUCTIVITY

Produced by following state-of-the-art processes, using high-tech machines and premium quality raw materials, these sabre saw blades have been specifically designed to ensure maximum lifetime and performance in all materials.


THE RIGHT BLADE FOR THE JOB!

Use our quick reference chart and pictograms to help you choose the best blade for your application.



NON-STICK ORANGE SHIELD COATING®

Keeps the blade running cool, reduces pitch build up and protects against corrosion. Ideal for all types of wood including wet lumber.



Wood

Wood & Metal

Metal

Special


BLADE LINE DESCRIPTIONS

Different blade lines help you choose the right blade for the task.

- BASIC:** Cost effective
- FLEXIBLE:** Breakproof, long lifetime
- PROGRESSIVE:** Fast cutting through thin and thick material
- TOP:** Fast and efficient
- HEAVY:** Sturdy and precise

12,7mm (1/2") UNIVERSAL SHANK


Fits: AEG®, BLACK & DECKER®, BOSCH®, DEWALT®, FEIN®, FLEX®, HILTI®, MAKITA®, METABO®, MILWAUKEE®, PORTER CABLE®, RIDGID®, ROTHENBERGER®, RYOBI®, SKIL®.




BLADE SHAPE & THICKNESS

Sabre Saw Blades vary in shape and thickness. These two characteristics are adjusted according to the demands of the application as well as the required flexibility. Rigorous applications such as cutting tube and pipe require thick robust blades, while less demanding applications require narrower blades.


Three Main Blade Categories:



Universal blades are for general use. Their even width guarantees good cutting stability and excellent control. This enables straight edge cutting through many different materials.



Sloped blades are commonly used for cutting wood and for demolition applications. Their narrow tip allows for plunge and curve cutting. This shape is rarely used for metal, since the tip does not have the strength required for this application.











Scroll blades are especially used for curve cutting. The narrower the blade, the smaller the radius it can cut.

Sabre Saw Blade Application Chart

SERIES	MATERIAL	MATERIAL THICKNESS mm	LINE	L MM	FINE STRAIGHT	COARSE STRAIGHT	CURVE	FINE ANGLE CUT	FLUSH CUT	THIN & THICK	DEMOLITION	TPI	PAGE	
WOOD	Coarse wood (free of nails)	<100	Base			JS617K	JS617K					3	94	
	Pruning green wood	<175	Base			JS1111K						3	94	
	Coolant: dry	<190	Top			JS1531L						5	94	
	MAX RPM 2500	<250	Base			JS1617K						3	94	
	Construction wood	<100	Top	150	JS644D		JS644D						6	94
	Coolant: dry	<150	Progressive	200	JS2345X						JS2345X		6~10	94
	MAX RPM 2500	<150	Pallet	200	JS725VFR			JS725VFR		JS725VFR	JS725VFR		8~12	96
	Boards	<60	Top	150	JS644D		JS644D						6	94
	Coolant: dry	<60	Progressive	200	JS2345X						JS2345X		6~10	94
	MAX RPM 2500	<60	Pallet	200	JS725VFR			JS725VFR		JS725VFR			8~12	96
	Wooden wall cutout	<100	Top	150	JS644D		JS644D						6	94
	Coolant: dry	<150	Progressive	200	JS2345X						JS2345X		6~10	94
	MAX RPM 2500	<150	Pallet	200	JS725VFR			JS725VFR		JS725VFR	JS725VFR		8~12	96
		<190	Top	240		JS1531L							5	94
	Plastic	<100	Top	150	JS644D		JS644D						6	94
	Coolant: water MAX RPM 500	<150	Progressive	200	JS2345X						JS2345X		6~10	94
	Wood with nails/metal	<100	Flexible	150	JS922HF								10	97
	Coolant: dry	<100	Flexible	150	JS922VF								10~14	97
	MAX RPM 2500	<100	Heavy	150	JS641HM	JS611DF	JS711DF						6	101, 95
		<100	Heavy	150		JS610VF		JS610VF			JS610VF		5~8	95
	<100	Heavy	150		JS956XHM		JS956XHM			JS956XHM		5~8	98	
	<150	Progressive	200		JS3456XF					JS3456XF		6~12	96	
	<150	Pallet	200	JS725VFR			JS725VFR		JS725VFR	JS725VFR		8~12	96	
	<175	Flexible	225	JS1122HF				JS1122HF				10	97	
	<175	Flexible	225	JS1122VF				JS1122HF				10~14	97	
	<175	Heavy	225		JS1111DF							6	95	
	<175	Heavy	225		JS1110VF		JS1110VF			JS1110VF		5~8	96	
	<175	Heavy	225		JS1156XHM		JS1156XHM			JS1156XHM		5~8	98	
	<175	Progressive	225		JS5678XF					JS5678XF		6~12	96	
	<250	Flexible	300	JS1222VF				JS1222VF				10~14	97	
	<250	Heavy	300		JS1210VF		JS1210VF			JS1210VF		5~8	96	
	<250	Heavy	300		JS1411DF							6	95	
Pallet	<100	Flexible	150	JS922HF	JS641HM							10	97, 101	
Coolant: dry	<150	Pallet	200	JS725VFR			JS725VFR		JS725VFR	JS725VFR		8~12	96	
MAX RPM 2500	<175	Flexible	225	JS1122HF				JS1122HF				10	97	
Wood, chipboard	<100	Heavy	150		JS611DF	JS711DF						6	95	
Coolant: dry	<100	Heavy	150		JS610VF		JS610VF			JS610VF		5~8	95	
MAX RPM 2500	<100	Heavy	150		JS956XHM		JS956XHM			JS956XHM		5~8	98	
	<150	Progressive	200		JS3456XF					JS3456XF		6~12	96	
	<150	Pallet	200	JS725VFR			JS725VFR		JS725VFR	JS725VFR		8~12	96	
	<175	Heavy	225		JS1111DF							6	95	
	<175	Heavy	225		JS1110VF		JS1110VF			JS1110VF		5~8	96	
	<175	Heavy	225		JS1156XHM		JS1156XHM			JS1156XHM		5~8	98	
	<175	Progressive	225		JS5678XF					JS5678XF		6~12	96	
	<250	Heavy	300		JS1210VF		JS1210VF			JS1210VF		5~8	96	
	<250	Heavy	300		JS1411DF							6	95	
Sheet metals	3~10	Flexible	150	JS922VF								10~14	97	
Coolant: cutting oil	3~10	Flexible	225	JS1122VF				JS1122HF				10~14	97	
MAX RPM 500~2000	3~10	Flexible	300	JS1222VF				JS1222VF				10~14	97	
	3~18	Progressive	200		JS3456XF					JS3456XF		6~12	96	
	<175	Progressive	225		JS5678XF					JS5678XF		6~12	96	
Pipes, profiles	<100	Flexible	150	JS922VF								10~14	97	
Coolant: cutting oil	<150	Progressive	200		JS3456XF					JS3456XF		6~12	96	
MAX RPM 1500	<175	Flexible	225	JS1122VF				JS1122HF				10~14	97	
	<175	Progressive	225		JS5678XF					JS5678XF		6~12	96	
	<250	Flexible	300	JS1222VF				JS1222VF				10~14	97	
Plastic, pipes, profiles	<100	Heavy	150		JS611DF	JS711DF						6	95	
Coolant: water	<150	Progressive	200		JS3456XF					JS3456XF		6~12	96	
MAX RPM 500	<175	Heavy	225		JS1111DF							6	95	
	<175	Progressive	225		JS5678XF					JS5678XF		6~12	96	
	<250	Heavy	300		JS1411DF							6	95	
Glass fibre-reinforced plastic/epoxy	<50	Heavy	150		JS611DF	JS711DF						6	95	
Coolant: water	<60	Heavy	300		JS1411DF							6	95	
MAX RPM 500	<60	Heavy	150		JS610VF		JS610VF			JS610VF		5~8	95	
	<100	Heavy	150		JS956XHM		JS956XHM			JS956XHM		5~8	98	

Sabre Saw Blade Application Chart

SERIES	MATERIAL	MATERIAL THICKNESS  mm	LINE	L MM	FINE STRAIGHT 	COARSE STRAIGHT 	CURVE 	FINE ANGLE CUT 	FLUSH CUT 	THIN & THICK 	DEMOLITION 	TPI	PAGE		
WOOD & METAL	Glass fibre-reinforced plastic/epoxy Coolant: water MAX RPM 500	<60	Heavy	225		JS1111DF						6	95		
		<60	Heavy	225		JS1110VF		JS1110VF			JS1110VF	5-8	96		
		<175	Heavy	225		JS1156XHM			JS1156XHM			JS1156XHM	5-8	98	
		<100	Flexible	150	JS922VF	JS641HM							10-14	97, 101	
		<150	Progressive	200		JS3456XF					JS3456XF		6-12	96	
		<175	Flexible	225	JS1122VF					JS1122HF			10-14	97	
		<175	Progressive	225		JS5678XF					JS5678XF		6-12	96	
		<250	Flexible	300	JS1222VF					JS1222VF			10-14	97	
	<250	Heavy	300		JS1210VF			JS1210VF			JS1210VF	5-8	96		
METAL	Sheet, perforated metals, (thin & thick) Coolant: dry MAX RPM 500~2000	0,7~3	Flexible	150	JS922AF							24	100		
		0,7~3	Flexible	225	JS1122AF				JS1122AF				24	100	
		1~8	Progressive	150	JS123XF						JS123XF		8-14	99	
		1,5~4	Flexible	150	JS922EF								18	100	
		1,5~4	Flexible	225	JS1122EF					JS1122EF			18	100	
		2~10	Heavy	150	JS925VF							JS925VF	10-14	99	
		2~10	Heavy	200	JS1025VF							JS1025VF	10-14	99	
		2~10	Heavy	225	JS1125VF							JS1125VF	10-14	99	
		2~10	Heavy	300	JS1125VF							JS1225VF	10-14	99	
		3~8	Flexible	150	JS922BF								14	100	
		3~8	Flexible	225	JS1122BF					JS1122BF			14	100	
		4~12	Heavy	150			JS920CF		JS920CF				JS920CF	9	98
	4~12	Heavy	150			JS955CHM		JS955CHM				JS955CHM	9	98	
	4~12	Heavy	225			JS1120CF		JS1120CF				JS1120CF	9	99	
	4~12	Heavy	225			JS1155CHM		JS1155CHM				JS1155CHM	9	98	
	Pipes, profiles, thin-walled (open & closed) Coolant: dry MAX RPM 500~2000	<100	Flexible	150	JS922AF								24	100	
		<100	Flexible	150	JS922EF								18	100	
		<100	Progressive	150	JS123XF						JS123XF		8-14	99	
		<100	Heavy	150	JS925VF							JS925VF	10-14	99	
		<150	Heavy	200	JS1025VF							JS1025VF	10-14	99	
		<175	Flexible	225	JS1122AF					JS1122AF			24	100	
		<175	Flexible	225	JS1122EF					JS1122EF			18	100	
		<175	Heavy	225	JS1125VF							JS1125VF	10-14	99	
		<250	Heavy	300	JS1225VF							JS1225VF	10-14	99	
		Pipes, profiles, thick-walled (open & closed) Coolant: dry MAX RPM 500~2000	<100	Flexible	150	JS922BF								14	100
			<100	Progressive	150	JS123XF						JS123XF		8-14	99
			<100	Heavy	150	JS925VF							JS925VF	10-14	99
	<100		Heavy	150			JS920CF		JS920CF			JS920CF	9	98	
	4~12		Heavy	150			JS955CHM		JS955CHM			JS955CHM	9	98	
	<150		Heavy	200	JS1025VF							JS1025VF	10-14	99	
	<175		Flexible	225	JS1122BF					JS1122BF			14	100	
	<175		Heavy	225	JS1125VF							JS1125VF	10-14	99	
	<175		Heavy	225			JS1120CF		JS1120CF			JS1120CF	9	99	
	4~12		Heavy	225			JS1155CHM		JS1155CHM			JS1155CHM	9	98	
	<250		Heavy	300	JS1225VF							JS1225VF	10-14	99	
	Pipes, profiles (solid) Coolant: cutting oil MAX RPM 500~2000		<100	Progressive	150	JS123XF						JS123XF		8-14	99
<100		Flexible	150	JS922BF								14	100		
<100		Heavy	150			JS920CF		JS920CF			JS920CF	9	98		
4~12		Heavy	150			JS955CHM		JS955CHM			JS955CHM	9	98		
<175		Flexible	225	JS1122BF						JS1122BF		14	100		
<175		Heavy	225			JS1120CF		JS1120CF			JS1120CF	9	99		
4~12		Heavy	225			JS1155CHM		JS1155CHM			JS1155CHM	9	98		
SPECIAL	Plasterboard	<100	Heavy	150	JS641HM	JS611DF	JS711DF					6	101, 95		
	Fibre cement panels	<175	Special	225		JS1141HM			JS1141HM				3	101	
		<215	Special	305		JS1243HM			JS1243HM				2	101	
		<250	Special	300		JS1241HM			JS1241HM				3	101	
		<365	Special	455		JS2243HM			JS2243HM				2	101	
	Porous concrete, red brick	<175	Special	225		JS1141HM			JS1141HM				3	101	
		<215	Special	305		JS1243HM			JS1243HM				2	101	
		<250	Special	300		JS1241HM			JS1241HM				3	101	
		<365	Special	455		JS2243HM			JS2243HM				2	101	
	Polystyrene, fibre insulation	<175	Special	228		JS1113AWP-2							-	102	
		<250	Special	300		JS1213AWP							-	102	
		<300	Special	300		JS2013AWP							-	102	
Ice, frozen, meat, bone	<250	Special	300		JS1211K						3	102			

TIP: Using a lubricant can extend blade lifetime up to 500%.

Sabre Saw Blades

JS617K



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	150	130	19	1,25	8,5	3	10	JS617K-5

Cuts coarse wood, free of nails (<100mm), pruning green wood (diameter <100mm), excellent for curved and plunge cutting.

WOOD **GREAT VALUE** **BASIC CUT** **HCS**



JS1111K



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	225	205	19	1,25	8,5	3	10	JS1111K-5

Coarse wood, free of nails (<175mm), firewood (diameter <175mm).

WOOD **GREAT VALUE** **BASIC CUT** **HCS**



JS1617K



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	300	280	19	1,25	8,5	3	10	JS1617K-5

Coarse wood, free of nails (<250mm), pruning green wood (diameter <250mm).

WOOD **GREAT VALUE** **BASIC CUT** **HCS**



JS644D



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	150	130	19	1,25	4,3	6	10	JS644D-5

Cuts construction wood (<100mm), wooden wall panels (<100mm), chipboard, MDF (6~60mm), plywood, plastic (<100mm). Special for plunge cutting.

WOOD **FINE CUT** **HCS**



JS1531L



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	240	220	19	1,50	5	5	10	JS1531L-5

Coarse wood, free of nails (<190mm), pruning green wood (diameter <190mm), firewood (diameter <190mm).

WOOD **FAST CUT** **HCS**



JS2345X



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	200	180	19	1,25	2,4-4	6-10	10	JS2345X-5

Cuts construction wood (<150mm), chipboard, MDF (6~60mm), plywood, plastic (<150mm), wooden wall (<150mm). Effortless fine cutting.


WOOD **FINE CUT** **EASY CUT** **HCS**




Sabre Saw Blades



JS611DF




PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	150	130	19	1,25	4,3	6	10	JS611DF-5




Cuts wood with nails/embedded metal (<100mm), plastic profiles (<100mm), fibreglass and epoxy (<50mm), wood and metal window frames. Special for plunge cutting.

JS711DF




PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	150	130	12	1,25	4,3	6	10	JS711DF-5



Cuts wood with nails/embedded metal (<100mm), fibreglass and epoxy (<50mm). Excellent for curved cuts.

JS1111DF




PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	225	205	19	1,25	4,3	6	10	JS1111DF-5
20	225	205	19	1,25	4,3	6	5	JS1111DF-20




For cutting wood with nails/embedded metal, chipboard (<175mm), plastic profiles (<175mm), fibreglass and epoxy (<50mm).

JS1411DF




PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	300	280	19	1,25	4,3	6	10	JS1411DF-5



Cuts wood with nails/embedded metal, chipboard (<250mm), fibreglass and epoxy (<60mm).

JS610VF



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	150	130	22	1,60	3,2-5	5-8	10	JS610VF-5




Cuts wood with nails/metal, wood, chipboard (<100mm), fibreglass and epoxy (<100mm), wood and metal wall cut-outs, (<100mm). Excellent for rescue/demolition work.

Sabre Saw Blades



JS1110VF




PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	225	205	22	1,60	3,2-5	5-8	10	JS1110VF-5
20	225	205	22	1,60	3,2-5	5-8	5	JS1110VF-20




For cutting wood with nails/embedded metal, chipboard (<175mm), fibreglass and epoxy, wood and metal wall cut-outs (<175mm). For rescue and demolition work.

JS1210VF



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	300	280	22	1,60	3,2-5	5-8	10	JS1210VF-5



Cuts wood with nails/embedded metal, wood, chipboard (<250mm), fibreglass and epoxy (<250mm), wood and metal wall cut-outs (<250mm).

JS3456XF



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	200	180	19	1,25	2,1-4,3	6-12	10	JS3456XF-5
20	200	180	19	1,25	2,1-4,3	6-12	5	JS3456XF-20




For cutting wood with nails/embedded metal (<150mm), sheet metal, pipe and aluminium profiles from (3~18mm) in thickness, fibreglass and epoxy (<150mm).

JS5678XF



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	225	205	25	1,27	2,1-4,3	6-12	10	JS5678XF-5
20	225	205	25	1,27	2,1-4,3	6-12	5	JS5678XF-20



For cutting wood with nails or metal, chipboard (<175mm), sheet metal, aluminium profiles (3-18mm), glass fibre-reinforced plastic/epoxy (<175mm).

JS725VFR



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	200	180	19	1,27	2,1-3,2	8-12	10	JS725VFR-5
20	200	180	19	1,27	2,1-3,2	8-12	5	JS725VFR-20




Special saw blade for pallet repair. Cutting depth <150mm. Optimized for reduced vibration.

Sabre Saw Blades



JS922HF




PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	150	130	19	0,90	2,5	10	10	JS922HF-5



For pallet repair, wood with nails/embedded metal (<100mm), sheet metal, pipe, aluminium profiles (3~12mm).

JS1122HF




PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	225	205	19	0,90	2,5	10	10	JS1122HF-5
20	225	205	19	0,90	2,5	10	5	JS1122HF-20



For pallet repair, wood with nails/embedded metal (<175mm), sheet metal, pipe, aluminium profiles (3~12mm). Flexible flush cutting.

JS922VF




PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	150	130	19	0,90	1,8-2,6	10-14	10	JS922VF-5



Cuts wood with nails/embedded metal (<100mm), sheet metal, pipe and aluminium profiles (3~10mm), fibreglass and epoxy (<100mm).

JS1122VF




PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	225	205	19	0,90	1,8-2,6	10-14	10	JS1122VF-5



Cuts wood with nails/embedded metal (<175mm), sheet metal, aluminium profiles (3~10mm), fibreglass and epoxy (<175mm). Flexible flush cutting.

JS1222VF



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	300	280	19	0,90	1,8-2,6	10-14	10	JS1222VF-5



Cuts wood with nails/embedded metal (<250mm), sheet metal, aluminium profiles (3~10mm), fibreglass and epoxy (<250mm). Flexible flush cutting.

Sabre Saw Blades

JS956XHM HW TOOTH




WOOD&METAL **EXTRA LONG LIFE**

PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
3	150	130	24	1,2	3-4	6-8	10	JS956XHM-3

For cutting wood with nails or metal (nails/metal hardness up to 40 HRC), repairing pallets, plasterboard, plastics, glass fibre-reinforced plastic/epoxy, fibre cement (<100mm). For rescue and demolition work.

JS1156XHM HW TOOTH



WOOD&METAL **EXTRA LONG LIFE**

PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
3	225	205	24	1,2	3-4	6-8	10	JS1156XHM-3

For cutting wood with nails or metal (nails/metal hardness up to 40 HRC), repairing pallets, plasterboard, plastics, glass fibre-reinforced plastic/epoxy, fibre cement (<175 mm). For rescue and demolition work.

JS955CHM HW TOOTH



METAL **EXTRA LONG LIFE**

PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
3	150	130	24	1,2	3	8	10	JS955CHM-3

For cutting thick sheet metal (4-12mm), pipes & profiles (<100mm), plastics, glass fibre-reinforced plastic/epoxy, fibre cement (<100mm), wood with nails or metal.

JS1155CHM HW TOOTH



METAL **EXTRA LONG LIFE**

LONG LIFE **FAST CUT**

PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
3	225	205	24	1,2	3	8	10	JS1155CHM-3

For cutting thick sheet metal (4-12mm), pipes & profiles (<175mm), plastics, glass fibre-reinforced plastic/epoxy, fibre cement (<175mm), wood with nails or metal.

JS920CF



METAL **XTREME CUT** **LONG LIFE** **BIM 8% Co**

PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	150	130	22	1,60	2,9	9	10	JS920CF-5

Cuts thick sheet metal (4~12mm), thick-walled pipe and profiles (<100mm). Ideal for pipe cutting, for rescue/demolition work. Powerful coarse cutting.


Sabre Saw Blades



JS1120CF




PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	225	205	22	1,60	2,9	9	10	JS1120CF-5
20	225	205	22	1,60	2,9	9	5	JS1120CF-20




For cutting thick sheet metal (4~12mm), thick-walled pipe and profiles (<175mm). Ideal for pipe cutters, for rescue/demolition work. Powerful coarse cutting.

JS123XF



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	150	130	19	0,90	1,8-3,2	8-14	10	JS123XF-5



Cuts thin sheet metal (1~8mm) pipes and profiles (diameter <100mm).

JS925VF




PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	150	130	19	1,25	1,8-2,6	10-14	10	JS925VF-5



Cuts medium-thick to thick sheet metal (2~10mm), thin and thick-walled pipe and profiles (<100mm). Ideal for demolition work in metal. Fine effortless cutting.

JS1025VF



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	200	180	19	1,25	1,8-2,6	10-14	10	JS1025VF-5



Cuts medium-thick to thick sheet metal (2~10mm), thin and thick-walled pipe and profiles (<150mm). Ideal for demolition work on metal. Fine effortless cutting.

JS1125VF



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	225	205	19	1,25	1,8-2,6	10-14	10	JS1125VF-5



Cuts medium-thick to thick sheet metal (2~10mm), thin and thick-walled pipe and profiles (<175mm). Ideal for demolition work on metal. Fine effortless cutting.

JS1225VF



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	300	280	19	1,25	1,8-2,6	10-14	10	JS1225VF-5



Cuts medium-thick to thick sheet metal (2~10mm), thin and thick-walled pipe and profiles (<250mm). Ideal for demolition work in metal. Fine effortless cutting.

Sabre Saw Blades

JS922BF




METAL MILLED & WAVY SET TEETH **LONG LIFE** **FAST CUT** **BIM 8% Co**

PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	150	130	19	0,90	1,8	14	10	JS922BF-5
20	150	130	19	0,90	1,8	14	5	JS922BF-20



Cuts thin sheet metal (3~8mm), thin pipe and profiles (diameter <100mm).
Fine effortless cutting.

JS1122BF



METAL MILLED & WAVY SET TEETH **LONG LIFE** **FAST CUT** **BIM 8% Co**

PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	225	205	19	0,90	1,8	14	10	JS1122BF-5
20	225	205	19	0,90	1,8	14	5	JS1122BF-20



Cuts thin sheet metal (3~8mm), thin pipe and profiles (diameter <175mm).
Fine effortless cutting. Flexible flush cuts.

JS922EF



METAL MILLED & WAVY SET TEETH **LONG LIFE** **BIM 8% Co**

PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	150	130	19	0,90	1,4	18	10	JS922EF-5
20	150	130	19	0,90	1,4	18	5	JS922EF-20



Cuts thin sheet metal (1,5~4mm), pipe and profiles (diameter <100mm).

JS1122EF



METAL MILLED & WAVY SET TEETH **LONG LIFE** **BIM 8% Co**

PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	225	205	19	0,90	1,4	18	10	JS1122EF-5
20	225	205	19	0,90	1,4	18	5	JS1122EF-20



Cuts thin sheet metal (1,5~4mm), pipe and profiles (diameter <175mm).
Flexible flush cuts.

JS922AF



METAL MILLED & WAVY SET TEETH **EASY CUT** **FINE CUT** **LONG LIFE** **BIM 8% Co**

PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	150	130	19	0,90	1	24	10	JS922AF-5



Cuts thin sheet metal (0,7~3mm), fine pipe and profiles (diameter <100mm).
Effortless fine cuts.

JS1122AF



METAL MILLED & WAVY SET TEETH **EASY CUT** **FINE CUT** **LONG LIFE** **BIM 8% Co**

PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
5	225	205	19	0,90	1	24	10	JS1122AF-5



Cuts thin sheet metal (0,7~3mm), fine pipe and profiles (diameter <175mm).
Effortless fine cuts.


Sabre Saw Blades

JS641HM HW TOOTH

SPECIAL EXTRA LONG LIFE EASY CUT FINE CUT EXTRA LONG LIFE HW



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
2	150	130	19	1,25	4,3	6	25	JS641HM-2




Cuts porous concrete, red brick, fibre cement, plasterboard, fibre-rienced plastic and epoxy (<100mm), wood & nails, ETERNIT®, MDF.

JS1141HM HW TOOTH

SPECIAL EXTRA LONG LIFE FAST CUT HW



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
2	225	205	22	1,2	8,5	3	25	JS1141HM-2




For cutting porous concrete, red brick, fibre cement (10-175mm), glass fibre-reinforced plastic/epoxy (<100mm). Fast Cut.

JS1241HM HW TOOTH

SPECIAL EXTRA LONG LIFE FAST CUT HW



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
2	300	280	22	1,5	8,5	3	25	JS1241HM-2




For cutting porous concrete, red brick, fibre cement (10-250mm), glass fibre-reinforced plastic/epoxy (<100mm). Fast Cut.

JS1243HM HW TOOTH

SPECIAL LONG LIFE FAST CUT HW




PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
1	305	250	50	1,50	12,7	2	25	JS1243HM




Cuts medium-sized brick up to 215mm in thickness.

JS2243HM HW TOOTH

SPECIAL LONG LIFE FAST CUT HW



PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI		ORDER NO. Universal Shank
1	455	400	50	1,50	12,7	2	25	JS2243HM



Cuts large brick up to 365mm in thickness.

Sabre Saw Blades

JS1113AWP-2


new

SPECIAL GROUND & KNIFE-EDGE **CLEAN CUT** **PRECISION CUT** **HCS**



PACK Quantity	L mm	I mm	H mm	K mm	TS mm		ORDER NO.
2	228	208	22	1,5	5		25 JS1113AWP-2

For cutting polystyrene and fibre insulation (<175mm). Clean and precision cut.



JS1213AWP


new

SPECIAL GROUND & KNIFE-EDGE **CLEAN CUT** **PRECISION CUT** **HCS**



PACK Quantity	L mm	I mm	H mm	K mm	TS mm		ORDER NO.
1	300	280	22	1,5	5		25 JS1213AWP


For cutting polystyrene and fibre insulation (<250mm). Clean and precision cut.



JS2013AWP


new

SPECIAL GROUND & KNIFE-EDGE **CLEAN CUT** **PRECISION CUT** **HCS**



PACK Quantity	L mm	I mm	H mm	K mm	TS mm		ORDER NO.
1	400	380	45	1,5	5		25 JS2013AWP

For cutting polystyrene and fibre insulation (<300mm). Clean and precision cut.



JS1211K

SPECIAL **FAST CUT** **INOX**




PACK Quantity	L mm	I mm	H mm	K mm	TS mm	TPI	ORDER NO.
5	300	275	19	1,2	8,5	3	10 JS1211K-5

Ideal for sectioning and cutting meat, bone, frozen products and ice up to 250mm in thickness.



25 Piece Reciprocating Saw Blade Set



JS025

5 PCS	KS1122EF BIM	METAL	TPI 18 1.4mm	Fine Straight	Sheet Metal	Flush cut	Pipes, profiles	<175mm	<1.5-4mm <1/16"-3/32"	LONG LIFE
5 PCS	KS1122HF BIM	WOOD & NAILS	TPI 10 2.5mm	Wood with nails	Sheet Metal	Flush cut	Pallets	Pipes	<175mm <7/8"	LONG LIFE
5 PCS	KS1531L HCS	WOOD	TPI 5 5mm	Coarse Straight	Nail-free coarse wood	Pruning		<190mm <1-1/2"	FAST CUT	
5 PCS	KS1111DF BIM	WOOD & NAILS	TPI 6 4.3mm	Wood with nails	Boards	Plastic	Epoxy	<175mm <7/8"	EASY CUT	LONG LIFE
5 PCS	KS3456XF BIM	WOOD & NAILS	TPI 6-12 2.1-4.3mm	Wood with nails	Boards	Sheet Metal	Epoxy	THIN & THICK <150mm <7/8"	LONG LIFE	

Minimum 10 pieces or multiple

Handle for Reciprocating Saw

Handle for reciprocating saw blades with 12,7mm (1/2") universal shank.
Practical, functional, ergonomic and featuring non-slip material.
Screw for mechanical fastening.

JS001



Minimum 10 pieces or multiple

DESCRIPTION	ORDER NO.
Handle for reciprocating saw	JS001

TOOLS FOR MULTI-CUTTERS



PRODUCTS	PAGE
STARLOCK®/STARLOCKPLUS®/STARLOCKMAX® Arbors	
Radial Saw Blades for Multi-Mat & Wood&Metal	109
Plunge Cut & Precision for Wood	110~112
Plunge Cut for Wood&Nails	112~115
Blades for Wood&Metal	113-114
Blades for Metal	115
Blades for Masonry	116
Rasp & Saw for Masonry	117
Scraper for Multi-Mat	118
Blades for Special Materials	119
Sets for Multi-Cutters	119
Delta Sanding Pad	120
Polishing Fleece	120
Sandpaper Sheet	120

Universal/SuperCut Arbors

Plunge Cut & Precision for Wood	112-123
Radial Saw Blade for Wood	124
Plunge & Flush-Cut for Wood&Metal	124~126
Radial Saw Blade for Wood&Metal	126
Scraper for Multi-Mat	127
Radial Saw Blade for Masonry	127-128
Rasp & Saw for Masonry	128-129
Delta Sanding Pad	129
Sets for Multi-Cutters	130

CMT11

Oscillating Multi-Tool



395



MAXIMIZE YOUR PERFORMANCE!



HIGH CARBON STEEL
for cutting wood and plastic.



BI-METAL WITH 8% COBALT
for cutting metal, nail embedded wood and plastic.



BI-METAL WITH 8% COBALT WITH TITANIUM COATING
for cutting metal, nail embedded wood and plastic, providing extreme performance and 30% longer lifetime.



TUNGSTEN CARBIDE TIPPED
for cutting wood, screws and nails, fiber cement board, plasterboard, plastic, sheet metal, copper, aluminium and stainless steel. Doubles tool lifetime.



TUNGSTEN CARBIDE GRIT COATED
for routing joints and grooves, smaller cutouts, and routing recesses in a variety of materials: tiles, plasterboard, porous concrete, construction materials, epoxy and fiberglass.



DIAMOND GRIT COATED
for routing joints and grooves, smaller cutouts, and routing recesses in a variety of materials: tiles, plasterboard, porous concrete, construction materials, epoxy and fiberglass. Extreme performance and longer lifetime.

SAWING & CUTTING



CUTTING & SCRAPING



GRINDING, RASPING & SEPARATING



SANDING & POLISHING



TOOTH CHARACTERISTICS

HW Tungsten Carbide Tipped

HCS High Carbon Steel

HSS High Speed Steel

HL High-Alloyed Tool Steel

BIM TiN Bimetal with 8% Cobalt + TiN Coated Teeth

BIM 8% Co Bimetal with 8% Cobalt

GRIT Diamond Grit

CARBIDE GRIT Carbide Grit

CARBIDE TiN Carbide TiN

MATERIALS



APPLICATIONS

- GRINDING
- SAWING
- JOINT CLEANING
- PLASTIC CUTTING
- CARPET REMOVAL
- PLUNGE CUTTING
- WOOD CUTTING
- CUTTING LAMINATE SHEETS
- TUBE TRIMMING
- NAIL CUTTING

THE RIGHT BLADE FOR THE BEST RESULTS!

Quick reference charts and pictograms help you choose the right blade for your application.



STARLOCK®: THE NEW SYSTEM FOR MULTI-CUTTER POWER TOOLS


STARLOCK® enables extremely reliable and fast accessory changes in a record time of less than 3 seconds. It also guarantees a secure fit and therefore maximum power transfer. The result: up to around 35% faster performance depending on the accessory, noticeably improved precision and reduced noise. To protect the individual tools from overload and damage, the system is divided into 3 performance classes: **STARLOCK®**, **STARLOCKPLUS®** and **STARLOCKMAX®**. The performance potential of a multi-cutter tool can only be fully exploited with the right accessories.

The exceptional quality and service life of our accessories combined with the perfect results delivers excellent value for money.

POWERTOOL COMPATIBILITY CHART FOR CMT MULTI-CUTTER ACCESSORIES	STARLOCK	STARLOCK PLUS	STARLOCK MAX
	SL	SLP	SLM
AEG®	●		
BOSCH®	●	●	●
CMT®	●		
CRAFTSMAN®	●	●	
DEWALT®	●		
DREMEL®	●		
EINHELL®	●		
FEIN® MULTITALENT®/MULTIMASTER®	●	●	
FEIN® SUPERCUT AUTOMOTIVE/CONSTRUCTION	●	●	●
FESTOOL® VECTURO®	●	●	●
HITACHI®	●		
MAKITA®	●	●	
METABO®	●		
MILWAUKEE®	●	●	
RIDGID®	●		
ROCKWELL®	●	●	
RYOBI®	●	●	
SKIL®	●	●	
WORX®	●		


Some brands may require an adaptor

OMF113 STARLOCK




85mm RADIAL SAW BLADE FOR SOFT MATERIALS, SEGMENTED

MULTI-MATERIALS




PACK Quantity	W mm	K mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	85	0,8	1,5	17	100	OMF113-X1
5 in Clamshell	85	0,8	1,5	17	15	OMF113-X5

OMF106 STARLOCK



85mm RADIAL SAW BLADE FOR WOOD & METAL, SEGMENTED

WOOD&METAL




PACK Quantity	W mm	K mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	85	0,7	1,34	19	100	OMF106-X1
5 in Clamshell	85	0,7	1,34	19	50	OMF106-X5

OMF174 STARLOCK



85mm CIRCULAR SAW BLADE FOR WOOD & METAL

WOOD&METAL




PACK Quantity	W mm	K mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	85	0,7	1,27	20	100	OMF174-X1
5 in Clamshell	85	0,7	1,27	20	50	OMF174-X5

Cutting Accessories for Multi-Cutters


OMF133 STARLOCK



35mm PLUNGE CUT BLADE FOR WOOD



WOOD




PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	35	50	1,4	18	70	OMF133-X1
5 in Clamshell	35	50	1,4	18	34	OMF133-X5
50 in Bulk Pack	35	50	1,4	18	8	OMF133-X50


OMF126 STARLOCK



35mm PRECISION CUT BLADE WITH JAPANESE TOOTHING FOR WOOD



WOOD




PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	35	50	1,75	14	70	OMF126-X1
5 in Clamshell	35	50	1,75	14	34	OMF126-X5
50 in Bulk Pack	35	50	1,75	14	8	OMF126-X50




JAPANESE TOOTHING


OMF233 STARLOCK




45mm PRECISION CUT BLADE WITH JAPANESE TOOTHING FOR WOOD



WOOD



PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	45	50	1,75	14	70	OMF233-X1
5 in Clamshell	45	50	1,75	14	34	OMF233-X5
50 in Bulk Pack	45	50	1,75	14	8	OMF233-X50





JAPANESE TOOTHING

OMF230 STARLOCK

65mm PRECISION CUT BLADE WITH JAPANESE TOOTHING FOR WOOD

WOOD



PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	65	50	1,75	14	70	OMF230-X1
5 in Clamshell	65	50	1,75	14	34	OMF230-X5
50 in Bulk Pack	65	50	1,75	14	8	OMF230-X50






JAPANESE TOOTHING

OMF205 STARLOCK

35mm PRECISION CUT BLADE WITH JAPANESE TOOTHING FOR WOOD

WOOD



PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	35	50	1,75	14	70	OMF205-X1
5 in Clamshell	35	50	1,75	14	34	OMF205-X5
50 in Bulk Pack	35	50	1,75	14	8	OMF205-X50






JAPANESE TOOTHING
Reduced tooth height for longer lifetime

OMF232 STARLOCK

45mm PRECISION CUT BLADE WITH JAPANESE TOOTHING FOR WOOD

WOOD



PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	45	50	1,75	14	70	OMF232-X1
5 in Clamshell	45	50	1,75	14	34	OMF232-X5
50 in Bulk Pack	45	50	1,75	14	8	OMF232-X50





JAPANESE TOOTHING
Reduced tooth height for longer lifetime

Cutting Accessories for Multi-Cutters

OMF229 STARLOCK

65mm PRECISION CUT BLADE WITH JAPANESE TOOTHING FOR WOOD

WOOD



BIM
8% Co

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	65	50	1,75	14	70	OMF229-X1
5 in Clamshell	65	50	1,75	14	34	OMF229-X5
50 in Bulk Pack	65	50	1,75	14	8	OMF229-X50





JAPANESE TOOTHING
Reduced tooth height for longer lifetime

OMF208 STARLOCK PLUS


65mm PRECISION CUT BLADE WITH JAPANESE TOOTHING FOR WOOD

WOOD



BIM
8% Co

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCKPLUS®
1 in Clamshell	65	50	1,75	14	70	OMF208-X1
5 in Clamshell	65	50	1,75	14	34	OMF208-X5
50 in Bulk Pack	65	50	1,75	14	8	OMF208-X50




JAPANESE TOOTHING
Reduced tooth height for longer lifetime

OMF184 STARLOCK

10mm PLUNGE CUT BLADE FOR WOOD & NAILS

WOOD&NAILS




BIM
8% Co

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	10	30	1,4	18	70	OMF184-X1
5 in Clamshell	10	30	1,4	18	34	OMF184-X5
50 in Bulk Pack	10	30	1,4	18	8	OMF184-X50

OMF183 STARLOCK 20mm PLUNGE CUT BLADE FOR WOOD & NAILS




WOOD&NAILS



BIM
8% Co

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	20	34	1,4	18	70	OMF183-X1
5 in Clamshell	20	34	1,4	18	34	OMF183-X5
50 in Bulk Pack	20	34	1,4	18	8	OMF183-X50

OMF222 STARLOCK 28mm PLUNGE CUT BLADE FOR WOOD & METAL




WOOD&METAL



BIM
8% Co

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	28	55	1,4	18	70	OMF222-X1
5 in Clamshell	28	55	1,4	18	34	OMF222-X5
50 in Bulk Pack	28	55	1,4	18	8	OMF222-X50




WAVY UNIVERSAL TOOTHING

OMF160 STARLOCK 35mm PLUNGE CUT BLADE FOR WOOD & NAILS



WOOD&NAILS



BIM
8% Co

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	35	50	1,4	18	70	OMF160-X1
5 in Clamshell	35	50	1,4	18	34	OMF160-X5
50 in Bulk Pack	35	50	1,4	18	8	OMF160-X50




Watch the video on



OMF223 STARLOCK

44mm PLUNGE CUT BLADE FOR WOOD & METAL



WOOD&METAL

MILLED & WAVY SET TEETH

BIM 8% Co



PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	44	55	1,4	18	70	OMF223-X1
5 in Clamshell	44	55	1,4	18	34	OMF223-X5
50 in Bulk Pack	44	55	1,4	18	8	OMF223-X50



WAVY UNIVERSAL TOOTHING

OMF221 STARLOCK

50mm PLUNGE CUT BLADE FOR WOOD & NAILS



WOOD&NAILS


MILLED & SIDE SET TEETH

BIM 8% Co

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	50	50	1,4	18	70	OMF221-X1
5 in Clamshell	50	50	1,4	18	34	OMF221-X5
50 in Bulk Pack	50	50	1,4	18	8	OMF221-X50

OMF228 STARLOCK

65mm PLUNGE CUT BLADE FOR WOOD & NAILS



WOOD&NAILS




MILLED & SIDE SET TEETH

BIM 8% Co

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	65	50	1,4	18	70	OMF228-X1
5 in Clamshell	65	50	1,4	18	34	OMF228-X5
50 in Bulk Pack	65	50	1,4	18	8	OMF228-X50

OMF161 STARLOCK PLUS 65mm PLUNGE CUT BLADE FOR WOOD & NAILS

WOOD&NAILS




BIM 8% Co

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCKPLUS®
1 in Clamshell	65	50	1,4	18	70	OMF161-X1
5 in Clamshell	65	50	1,4	18	34	OMF161-X5
50 in Bulk Pack	65	50	1,4	18	8	OMF161-X50

OMF157 STARLOCK

30mm PLUNGE CUT BLADE FOR METAL

METAL





BIM 8% Co

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCK®
1 in Clamshell	30	50	1,2	21	70	OMF157-X1
5 in Clamshell	30	50	1,2	21	34	OMF157-X5
50 in Bulk Pack	30	50	1,2	21	8	OMF157-X50

OMF237 STARLOCK PLUS 32mm CARBIDE + TIN COATING PLUNGE & FLUSH-CUT FOR METAL


METAL




CARBIDE TiN

PACK Quantity	W mm	I mm	TS mm	TPI		ORDER NO. STARLOCKPLUS®
1 in Clamshell	32	60	1,2	21	70	OMF237-X1
50 in Bulk Pack	32	60	1,2	21	8	OMF237-X50

OMF118 STARLOCK



75mm CARBIDE GRIT RADIAL SAW BLADE, SEGMENTED



MASONRY




PACK Quantity	W mm	K mm		ORDER NO. STARLOCK®
1 in Clamshell	75	2,2	80	OMF118-X1
5 in Clamshell	75	2,2	40	OMF118-X5

OMF125 STARLOCK



75mm CARBIDE GRIT RADIAL SAW BLADE, SEGMENTED



MASONRY




PACK Quantity	W mm	K mm		ORDER NO. STARLOCK®
1 in Clamshell	75	1,2	100	OMF125-X1
5 in Clamshell	75	1,2	40	OMF125-X5

OMF114 STARLOCK



75mm DIAMOND COATED RADIAL SAW BLADE, SEGMENTED



MASONRY




PACK Quantity	W mm	K mm		ORDER NO. STARLOCK®
1 in Clamshell	75	2,2	115	OMF114-X1
5 in Clamshell	75	2,2	56	OMF114-X5

OMF002 STARLOCK PLUS

45mm CARBIDE GRIT FINGERTIP RASP, DOUBLE-SIDED

MASONRY





PACK Quantity	W mm	I mm		ORDER NO. STARLOCKPLUS®
1 in Clamshell	33	45	250	OMF002-X1

OMF001 STARLOCK

80mm CARBIDE GRIT DELTA RASP

MASONRY




PACK Quantity	W mm		ORDER NO. STARLOCK®
1 in Clamshell	80	250	OMF001-X1

OMF243 STARLOCK MAX

60mm DIAMOND COATED SAW BLADE, SEGMENTED

MASONRY




PACK Quantity	W mm	K mm		ORDER NO. STARLOCKMAX®
1 in Clamshell	60	2,2	115	OMF243-X1

OMF226 STARLOCK

52mm RIGID SCRAPER BLADE FOR ALL MATERIALS

MULTI-MATERIALS




PACK Quantity	W mm	K mm		ORDER NO. STARLOCK®
1 in Clamshell	52	0,8	100	OMF226-X1

OMF165 STARLOCK

52mm FLEXIBLE SCRAPER BLADE FOR ALL MATERIALS

MULTI-MATERIALS




PACK Quantity	W mm	K mm		ORDER NO. STARLOCK®
1 in Clamshell	52	0,4	100	OMF165-X1

OMF245 STARLOCK

70mm "MUSHROOM-SHAPED" CUTTING BLADE FOR ALL MATERIALS

MULTI-MATERIALS



PACK Quantity	W mm	K mm		ORDER NO. STARLOCK®
5 in Clamshell	70	0,4	50	OMF245-X5

OMF201 STARLOCK PLUS

4mm ANGLED GOUGING BLADE

SPECIAL

HCS





PACK Quantity	K mm	W mm	I mm		ORDER NO. STARLOCKPLUS®
1 in Clamshell	4	16	11	70	OMF201-X1

OMF251 STARLOCK

41mm MULTI-KNIFE WITH THREE CUTTING EDGES, SEGMENTED

SPECIAL

HCS



PACK Quantity	W mm	I mm		ORDER NO. STARLOCK®
1 in Clamshell	41	41	70	OMF251-X1

OMF-X4 STARLOCK

4 PIECE GENERAL PURPOSE SET FOR MULTI-CUTTERS

WOOD
WOOD&NAILS

- 2 blades with Japanese Tothing for all wood products, blockboard, plasterboard and plastics.
- 2 blades in BIM for all wood products, blockboard, plasterboard, fiberglass, epoxy resin and soft plastics. Excellent for cutting wood with embedded nails up to 5mm in diameter and even masonry, like porous concrete.



8 Sets in End-cap display (minimum 8 pieces or multiple)



PACK Quantity	MATERIAL	W mm	I mm	TS mm	TPI	ORDER NO.
1	HCS	35	50	1,75	14	OMF126-X1
1	BIM	35	50	1,4	18	OMF160-X1
1	BIM	50	50	1,4	18	OMF221-X1
1	HCS	65	50	1,75	14	OMF230-X1

OMF136 STARLOCK

93mm DELTA SANDING PAD. PERFORATED

MULTI-MATERIALS





PACK Quantity	W mm		ORDER NO. STARLOCK®
1 in Clamshell	93	40	OMF136-X1

OMA30000

93mm DELTA POLISHING FLEECE. PERFORATED

MULTI-MATERIALS





PACK Quantity	W mm		ORDER NO.
4 in Clamshell	93	10	OMA30000-X4

OMA30

93MM ALUMINIUM-OXIDE DELTA SANDPAPER FOR WOOD. PERFORATED

WOOD



PACK Quantity	W mm	GRIT		ORDER NO.
10 in Clamshell	93	40	10	OMA30040-X10
10 in Clamshell	93	60	10	OMA30060-X10
10 in Clamshell	93	80	10	OMA30080-X10
10 in Clamshell	93	100	10	OMA30100-X10
10 in Clamshell	93	120	10	OMA30120-X10
10 in Clamshell	93	180	10	OMA30180-X10
10 in Clamshell	93	240	10	OMA30240-X10

THE RIGHT BLADE FOR THE BEST RESULTS!

Quick reference charts and pictograms help you choose the right blade for your application.

WOOD



WOOD&METAL



MULTI-MATERIALS



MASONRY



CMT UNIVERSAL ARBOR FITS MOST MULTI-CUTTERS ON THE MARKET

This tool mount also enables the accessory to be repositioned in 30-degree steps.

ARBOR FOR FEIN® SUPERCUT AND FESTOOL® VECTURO®

This tool mount also enables the accessory to be repositioned in 30-degree steps.

OMA31



Universal Adaptors

This universal adaptor permits easy attachment of CMT accessories to most multi-cutter tools. Fits snugly and does not slip. Ideal for BOSCH®, CHICAGO®, CRAFTSMAN®, DREMEL®, FEIN®, MAKITA®, MILWAUKEE®, MASTERCRAFT®, OZITO®, AEG®, RIDGID®, ROCKWELL®, SMART®, WORX®.

PACK Quantity	ORDER NO.
2 in Clamshell	OMA31-X2

Accessories for Multi-Cutters

OMM01 OMS01


Universal Arbor



Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®




10mm PLUNGE & FLUSH-CUT BLADE FOR WOOD



WOOD

MILLED & SIDE SET TEETH



HCS

PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	10	28	18	10	OMM01-X1	OMS01-X1

OMM02 OMS02


Universal Arbor



Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®




22mm PLUNGE & FLUSH-CUT BLADE FOR WOOD



WOOD

MILLED & SIDE SET TEETH



HCS

PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	22	48	18	10	OMM02-X1	OMS02-X1
5 in Clamshell	22	48	18	5	OMM02-X5	OMS02-X5

OMM03 OMS03


Universal Arbor



Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®




28mm PLUNGE & FLUSH-CUT BLADE FOR WOOD



WOOD

MILLED & SIDE SET TEETH




HCS

PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	28	48	18	10	OMM03-X1	OMS03-X1
50 in Bulk Pack	28	48	18	2	OMM03-X50	OMS03-X50

OMM04 OMS04


Universal Arbor



Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®




34mm PRECISION CUT BLADE - JAPANESE TOOTHING FOR WOOD




WOOD

GROUND & SIDE SET TEETH



HCS

PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	34	40	14	10	OMM04-X1	OMS04-X1
5 in Clamshell	34	40	14	5	OMM04-X5	OMS04-X5
50 in Bulk Pack	34	40	14	2	OMM04-X50	OMS04-X50




JAPANESE TOOTHING

FAST CUT

OMM05

Universal Arbor






OMS05


Arbor for FEIN® SuperCut FESTOOL® VECTURO®



34mm PLUNGE & FLUSH-CUT BLADE FOR WOOD



WOOD



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	34	40	18	10	OMM05-X1	OMS05-X1
5 in Clamshell	34	40	18	5	OMM05-X5	OMS05-X5
50 in Bulk Pack	34	40	18	2	OMM05-X50	OMS05-X50

OMM36

Universal Arbor






OMS36


Arbor for FEIN® SuperCut FESTOOL® VECTURO®



45mm PRECISION CUT BLADE - JAPANESE TOOTHING FOR WOOD



WOOD




PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
5 in Clamshell	45	50	14	5	OMM36-X5	OMS36-X5
50 in Bulk Pack	45	50	14	2	OMM36-X50	OMS36-X50



JAPANESE TOOTHING

OMM06

Universal Arbor






OMS06


Arbor for FEIN® SuperCut FESTOOL® VECTURO®




68mm PRECISION CUT BLADE - JAPANESE TOOTHING FOR WOOD



WOOD




PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	68	40	14	10	OMM06-X1	OMS06-X1
5 in Clamshell	68	40	14	5	OMM06-X5	OMS06-X5
50 in Bulk Pack	68	40	14	2	OMM06-X50	OMS06-X50



JAPANESE TOOTHING

OMM07

Universal Arbor






OMS07


Arbor for FEIN® SuperCut FESTOOL® VECTURO®



68mm PRECISION CUT BLADE - JAPANESE TOOTHING FOR WOOD



WOOD




PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	68	40	18	10	OMM07-X1	OMS07-X1
5 in Clamshell	68	40	18	5	OMM07-X5	OMS07-X5
50 in Bulk Pack	68	40	18	2	OMM07-X50	OMS07-X50

Accessories for Multi-Cutters


OMM08

Universal Arbor




OMS08

Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®



87mm RADIAL SAW BLADE FOR WOOD, SEGMENTED




WOOD



PACK Quantity	W mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in Clamshell	87	18	10	OMM08-X1	OMS08-X1

OMM09

Universal Arbor



OMS09


Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®



10mm PLUNGE & FLUSH-CUT BLADE FOR WOOD & METAL




WOOD&METAL



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in Clamshell	10	28	18	10	OMM09-X1	OMS09-X1
5 in Clamshell	10	28	18	5	OMM09-X5	OMS09-X5
50 in Bulk Pack	10	28	18	2	OMM09-X50	OMS09-X50

OMM10

Universal Arbor



OMS10


Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®



22mm PLUNGE & FLUSH-CUT BLADE FOR WOOD & METAL




WOOD&METAL



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in Clamshell	22	48	18	10	OMM10-X1	OMS10-X1
5 in Clamshell	22	48	18	5	OMM10-X5	OMS10-X5
50 in Bulk Pack	22	48	18	2	OMM10-X50	OMS10-X50


OMM11

Universal Arbor



OMS11


Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®



28mm PLUNGE & FLUSH-CUT BLADE FOR WOOD & METAL




WOOD&METAL



PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in Clamshell	28	48	18	10	OMM11-X1	OMS11-X1
5 in Clamshell	28	48	18	5	OMM11-X5	OMS11-X5
50 in Bulk Pack	28	48	18	2	OMM11-X50	OMS11-X50

OMM12

Universal Arbor




OMS12

Arbor for FEIN® SuperCut FESTOOL® VECTURO®




OMS12
W=32mm

34mm PLUNGE & FLUSH-CUT FOR WOOD & METAL



WOOD&METAL




BIM
8% Co

PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	34	40	18	10	OMM12-X1	OMS12-X1
5 in Clamshell	34	40	18	5	OMM12-X5	OMS12-X5
50 in Bulk Pack	34	40	18	2	OMM12-X50	OMS12-X50

OMM13

Universal Arbor




OMS13

Arbor for FEIN® SuperCut FESTOOL® VECTURO®




OMS13
W=32mm

34mm PLUNGE & FLUSH-CUT BLADE FOR WOOD & METAL



WOOD&METAL




BIM
TiN

EXTRA LONG LIFE
130% LONGER LIFE

PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	34	40	18	10	OMM13-X1	OMS13-X1
5 in Clamshell	34	40	18	5	OMM13-X5	OMS13-X5
50 in Bulk Pack	34	40	18	2	OMM13-X50	OMS13-X50

OMM14

Universal Arbor



OMS14

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



35mm PLUNGE & FLUSH-CUT BLADE FOR WOOD & METAL



WOOD&METAL


HW

EXTRA LONG LIFE
2X LONGER LIFE

PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	35	40	20	10	OMM14-X1	OMS14-X1

OMM35

Universal Arbor




OMS35

Arbor for FEIN® SuperCut FESTOOL® VECTURO®




EXTRA LONG

45mm PLUNGE & FLUSH-CUT BLADE FOR WOOD & METAL



WOOD&METAL




BIM
8% Co

PACK Quantity	W mm	I mm	TPI		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
5 in Clamshell	42	68	18	5	OMM35-X5	OMS35-X5
50 in Bulk Pack	42	68	18	2	OMM35-X50	OMS35-X50

Accessories for Multi-Cutters

OMM15

Universal Arbor





OMS15


Arbor for FEIN® SuperCut FESTOOL® VECTURO®



45mm PLUNGE & FLUSH-CUT BLADE FOR WOOD & METAL



WOOD&METAL




BIM
8% Co

PACK Quantity	W mm	I mm	TPI	Box	ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in Clamshell	45	48	18	10	OMM15-X1	OMS15-X1
5 in Clamshell	45	48	18	5	OMM15-X5	OMS15-X5
50 in Bulk Pack	45	48	18	2	OMM15-X50	OMS15-X50

OMM16

Universal Arbor





OMS16


Arbor for FEIN® SuperCut FESTOOL® VECTURO®



45mm PLUNGE & FLUSH-CUT BLADE FOR WOOD & METAL



WOOD&METAL



BIM
TiN

EXTRA LONG LIFE
130% LONGER LIFE

PACK Quantity	W mm	I mm	TPI	Box	ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in Clamshell	45	48	18	10	OMM16-X1	OMS16-X1
5 in Clamshell	45	48	18	5	OMM16-X5	OMS16-X5
50 in Bulk Pack	45	48	18	2	OMM16-X50	OMS16-X50

OMM17

Universal Arbor






OMS17

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



87mm RADIAL SAW BLADE FOR WOOD & METAL, SEGMENTED



WOOD&METAL

BIM
8% Co

LONG LIFE

PACK Quantity	W mm	TPI	Box	ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in Clamshell	87	20	10	OMM17-X1	OMS17-X1


OMM18

Universal Arbor






OMS18

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



87mm RADIAL SAW BLADE FOR WOOD & METAL, SEGMENTED



WOOD&METAL


BIM
TiN

EXTRA LONG LIFE
130% LONGER LIFE

PACK Quantity	W mm	TPI	Box	ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® SuperCut
1 in Clamshell	87	20	10	OMM18-X1	OMS18-X1

OMM19

Universal Arbor



OMS19

Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®



52mm RIGID SCRAPER BLADE FOR ALL MATERIALS


MULTI-MATERIALS



PACK Quantity	W mm	I mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	52	26	10	OMM19-X1	OMS19-X1
5 in Clamshell	52	26	5	OMM19-X5	OMS19-X5

OMM20

Universal Arbor




OMS20

Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®



52mm FLEXIBLE SCRAPER FOR ALL MATERIALS

MULTI-MATERIALS



PACK Quantity	W mm	I mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	52	45	10	OMM20-X1	OMS20-X1
5 in Clamshell	52	45	5	OMM20-X5	OMS20-X5

OMM21

Universal Arbor




OMS21

Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®



28mm SHARP CORNER SCRAPER FOR ALL MATERIALS

MULTI-MATERIALS



PACK Quantity	W mm	I mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	28	50	10	OMM21-X1	OMS21-X1
5 in Clamshell	28	50	5	OMM21-X5	OMS21-X5
50 in Bulk Pack	28	50	2	OMM21-X50	OMS21-X50

OMM22

Universal Arbor




OMS22

Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®



87mm CARBIDE GRIT RADIAL SAW BLADE, SEGMENTED

MASONRY



PACK Quantity	W mm	K mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	87	2,2	10	OMM22-X1	OMS22-X1

OMM23

Universal Arbor







OMS23

Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®



87mm DIAMOND COATED RADIAL SAW BLADE, SEGMENTED

MASONRY



PACK Quantity	W mm	K mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	87	1,6	10	OMM23-X1	OMS23-X1
25 in Bulk Pack	87	1,6	2	OMM23-X25	OMS23-X25

OMM24

Universal Arbor







OMS24

Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®



65mm CARBIDE GRIT RADIAL SAW BLADE, SEGMENTED

MASONRY



PACK Quantity	W mm	K mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	65	1,6	10	OMM24-X1	OMS24-X1

OMM27

Universal Arbor







OMS27

Arbor for
FEIN® SuperCut
FESTOOL® VECTURO®



65mm DIAMOND GRIT COATED RADIAL SAW BLADE, SEGMENTED

MASONRY



PACK Quantity	W mm	K mm		ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	65	2	10	OMM27-X1	OMS27-X1





OMM26

Universal Arbor



35mm CARBIDE GRIT FINGERTIP RASP, DOUBLE-SIDED

MASONRY




PACK Quantity	W mm	I mm		ORDER NO. Universal Arbor
1 in Clamshell	33	35	10	OMM26-X1

OMM25

Universal Arbor



80mm CARBIDE GRIT DELTA RASP



MASONRY




PACK Quantity	W mm			ORDER NO. Universal Arbor
1 in Clamshell	80		10	OMM25-X1

OMM28

Universal Arbor



57mm DIAMOND COATED SEGMENT SAW BLADE



MASONRY



PACK Quantity	W mm	K mm		ORDER NO. Universal Arbor
1 in Clamshell	57	2	10	OMM28-X1
25 in Bulk Pack	57	2	4	OMM28-X25

OMM29

Universal Arbor




OMS29

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



65mm CARBIDE GRIT GROUT AND MORTAR REMOVER



MASONRY



PACK Quantity	W mm			ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	65		10	OMM29-X1	OMS29-X1

OMM30

Universal Arbor



OMS30

Arbor for FEIN® SuperCut FESTOOL® VECTURO®



93mm DELTA SANDING PAD, PERFORATED



MULTI-MATERIALS

PACK Quantity	W mm			ORDER NO. Universal Arbor	ORDER NO. Arbor for FEIN® Supercut
1 in Clamshell	93		10	OMM30-X1	OMS30-X1

93mm Delta Polishing Fleece. Perforated



OMA30000

SEE PAGE 120



OMA30

93mm Aluminium-Oxide Delta Sandpaper for Wood. Perforated

OMM-X4

Universal Arbor

4 PIECE GENERAL PURPOSE SET FOR MULTI-CUTTERS

- 2 blades with Japanese Tothing for cutting wood, chipboard, plasterboard and plastics.
- 2 blades in BIM for cutting wood products, chipboard, plasterboard, fiberglass, epoxy resins, soft plastics, sheet metal, aluminium pipes and profiles. Cuts through embedded nails in wood up to 5mm in diameter as well as porous concrete.



WOOD

WOOD&NAILS

8 Sets in End-cap display (minimum 8 pieces or multiple)



PACK Quantity	MATERIAL	W mm	I mm	TPI	ORDER NO.
1	HCS	34	40	14	OMM04-X1
1	HCS	68	40	14	OMM06-X1
1	BIM	34	40	18	OMM12-X1
1	BIM	45	48	18	OMM15-X1

OMM-X33

Universal Arbor

33 PIECE GENERAL PURPOSE SET FOR MULTI-CUTTERS

- blades for cutting wood, plastic, plasterboard, sheet metal, profiles and pipes in aluminum and copper.
- scraper to remove carpet adhesive/glue residues as well as paint and silicone residues.
- sanding pad and sanding sheets (60, 100, 180 grit).



6 Sets Bulk Pack

PACK Quantity	W mm	I mm	TPI	GRIT	ORDER NO.
1	34	40	18		OMM12-X1
1	52	45			OMM20-X1
1	93				OMM30-X1
10	93			60	OMA30060-X10
10	93			100	OMA30100-X10
10	93			180	OMA30180-X10

OMM-X37

Universal Arbor

37 PIECE GENERAL PURPOSE SET FOR MULTI-CUTTERS

- blades (in two diameters) for cutting in wood, plastic, plasterboard, sheet metal, profiles and pipes in aluminum and copper.
- segmented blade for cutting wood and metal.
- scraper for removing carpet adhesive/glue residues as well as paint and silicone residues.
- rasp in carbide for grinding/sanding/removal of tiles, plasterboard, cement, wood and construction materials.
- specially designed blade to remove mortar, bonding materials, cement and stone, even in hard to reach corners.
- sanding pad and sanding sheets (60, 100, 180 grit).



FRONT



BACK

PACK Quantity	W mm	I mm	TPI	GRIT	ORDER NO.
1	10	28	18		OMM09-X1
1	34	40	18		OMM12-X1
1	87		20		OMM17-X1
1	52	45			OMM20-X1
1	80				OMM25-X1
1	65				OMM29-X1
1	93			10	OMM30-X1
10	93			60	OMA30060-X10
10	93			100	OMA30100-X10
10	93			180	OMA30180-X10



4 Sets in End-cap display (minimum 4 pieces or multiple)

www.cmtorangetools.com



C.M.T. UTENSILI S.p.A.

Via della Meccanica, sn
61122 Pesaro (PU) - Italia

Tel. +39 0721 48571

Fax +39 0721 481021

info@cmtorangetools.com



Download this Catalogue



03.60.3006

15K0124